

# Results of COVID-19 Vaccine Effectiveness Studies: An Ongoing Systematic Review

## Forest Plots: Vaccine Effectiveness against the Delta Variant

*Updated December 9, 2021*

Prepared by:

International Vaccine Access Center,  
Johns Hopkins Bloomberg School of Public Health

and

World Health Organization



INTERNATIONAL  
VACCINE ACCESS  
CENTER



World Health  
Organization

For comments or questions, please contact: Melissa Higdon at [mhigdon@jhu.edu](mailto:mhigdon@jhu.edu).

# TABLE OF CONTENTS

Methods for Inclusion in Forest Plots .....	3
Abbreviations .....	4
Forest Plots by Vaccine .....	5
Ad26.COV2.S (Janssen) .....	5
AZD1222 (AstraZeneca).....	6
BBV152 (Bharat).....	7
BNT162b2 (Pfizer) .....	7
mRNA-1273 (Moderna).....	8
Heterologous schedules.....	9
Forest Plots by Disease Outcome.....	10
Death.....	10
Severe Disease .....	10
Symptomatic Disease .....	11
Any Infection .....	11
Asymptomatic Infection.....	12
Forest Plots by Population of Special Interest .....	13
Older Adults .....	13
Healthcare Workers .....	13
Children .....	13

## METHODS FOR INCLUSION IN FOREST PLOTS

Vaccine Effectiveness (VE) estimates included in these plots are from an ongoing systematic review of COVID-19 vaccine effectiveness studies. Due to the predominance of the Delta variant across the globe, the plots in this document are restricted to studies conducted during a period when the Delta variant was the dominant circulating variant. Previous versions of the plots (prior to November 18, 2021) showed results from all studies, regardless of dominant variant, and the latest version of those plots (November 11, 2021) are available on the VIEW-hub resources page (<https://view-hub.org/resources>). Complete details on the method of the systematic review as well as a summary table of results can also be found on the VIEW-hub Resources Page:

- “COVID-19 Vaccine Effectiveness and Impact Studies Review Methods”
- “COVID-19 Vaccine Effectiveness Results Summary Table”

The VE estimates included in the plots are a subset of the estimates abstracted from the systematic literature review. A single study can include many VE estimates. In an effort to not overrepresent the amount of evidence that exists for each vaccine, the following criteria are used to determine which VE estimates are displayed in the forest plots located on the VIEW-hub resources page (<https://view-hub.org/resources>). There are some instances when more than one estimate from a study will be displayed in the same plot (e.g. a study includes VE estimates from two distinct populations). Reference numbers are included for each VE estimate displayed so users can identify when a study is represented more than once within a plot. More information on each reference can be found in the weekly literature review summary table located on VIEW-HUB (<https://view-hub.org/resources>).

- Complete vaccination is defined as  $\geq 7$  days post final dose; partial vaccination is defined as  $\geq 14$  days post first dose of a 2-dose vaccine.
- If a study reports results for the same outcome for both combined and individual vaccines, only individual vaccine VE estimates are displayed. This criterion only applies to studies evaluating VE of BNT162b2 (Pfizer) and mRNA-1273 (Moderna) vaccines.
- If a study reports results from 2 different evaluation designs (e.g. test-negative design and cohort design) on the same population, VE estimates from the primary analysis only are displayed.
- If a study reports VE estimates for the same disease outcome for different populations, the general population VE estimate is displayed when available. If a general population estimate is not available, the VE from each population is displayed (exception is when there are estimates for similar age groups in which case the more stable VE estimate will be displayed).
- If a study reports VE estimates on more than one ‘severe’ disease outcome (e.g. ‘severe disease’, ‘hospitalization’, and ‘ICU admission’), the more inclusive disease outcome including a larger population is displayed. These different types of severe outcomes are labeled as ‘severe disease’ in the plots, however it is important to keep in mind that the definition of severe disease varies and may explain some differences in VE estimates for severe disease outcomes.
- If a study reports VE estimates for different time intervals from the final dose, those from the earlier time intervals are plotted in an effort to remove the effect of possible waning of immunity. Studies that report only VE estimates that include a follow-up time that extends beyond 4 months post final dose are indicated with a ‘+’. Studies that report only VE estimates that are restricted to time intervals beyond 4 months are indicated with a ‘\*’.

## ABBREVIATIONS

asyp = asymptomatic

HCW = healthcare workers


HHC = household contacts

LTCF = long-term care facility

pop = population

SNF= skilled nursing facility

# BY VACCINE




+ Indicates estimates that that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times

### AZD1222 (AstraZeneca) Vaccine Effectiveness

(ref no) country, population




+ Indicates estimates that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times


BBV152 (Bharat) Vaccine Effectiveness

(ref no) country, population



## BNT162b2 (Pfizer) Vaccine Effectiveness

(ref no) country, population




+ Indicates estimates that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times



mRNA-1273 (Moderna) Vaccine Effectiveness


(ref no) country, population




+ Indicates estimates that that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times ≥


Heterologous AZD1222 (AstraZeneca) 1st dose plus mRNA-1273 (Moderna) 2nd dose Vaccine Effectiveness  
(ref no) country, population




Heterologous AZD1222 (AstraZeneca) 1st dose plus BNT162b2 (Pfizer) 2nd dose Vaccine Effectiveness  
(ref no) country, population



Heterologous AZD1222 (AstraZeneca) 1st dose plus BNT162b2 (Pfizer) or mRNA-1273 (Moderna) 2nd dose Vaccine Effectiveness  
(ref no) country, population



Heterologous mRNA Vaccine Effectiveness  
(ref no) country, population




+ Indicates estimates that that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times

# BY DISEASE OUTCOME


## Vaccine Effectiveness against Death due to COVID-19, Complete Vaccination

(ref no) country, population



## Vaccine Effectiveness against COVID-19 Severe Disease, Complete Vaccination

(ref no) country, population




+ Indicates estimates that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times


Vaccine Effectiveness against COVID-19 Symptomatic Disease, Complete Vaccination

(ref no) country, population



Vaccine Effectiveness against COVID-19 Infection (Any), Complete Vaccination

(ref no) country, population




+ Indicates estimates that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times

Vaccine Effectiveness against COVID-19 Asymptomatic Infection,  
Complete Vaccination

(ref no) country, population




+ Indicates estimates that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times

# BY STUDY POPULATION OF SPECIAL INTEREST


## Vaccine Effectiveness Among Older Adults/Skilled Nursing Facility Residents, Complete Vaccination

(ref no) country, population




## Vaccine Effectiveness Among Healthcare Workers, Complete Vaccination

(ref no) country, population



## Vaccine Effectiveness Among Children, Complete Vaccination

(ref no) country, population



+ Indicates estimates that include a follow-up time extending beyond 4 months post final dose.

\* Indicates estimates that are restricted to follow-up times