

Results of Studies Evaluating the Impact of SARS-CoV-2 Variants of Concern on COVID-19 Vaccines: An Ongoing Systematic Review

Neutralization Plots

Updated June 20, 2022

PREPARED BY:

Henning Jacobsen, PhD (*Department of Viral Immunology, Helmholtz Centre for Infection Research*) and

Ioannis Sitaras, PhD, MRes (*Department of Molecular Microbiology and Immunology, Johns Hopkins Bloomberg School of Public Health*)

And by:

Melissa Higdon, Maria Deloria Knoll, Naor Bar Zeev, and Marley Jurgenmeyer at the *International Vaccine Access Center, Johns Hopkins Bloomberg School of Public Health*

Minal Patel and Daniel Feikin at the *World Health Organization*

For comments or questions, please contact: Melissa Higdon at mhigdon@jhu.edu.



Contents

Methods for Inclusion in Neutralization Plots	3
Primary Series Vaccination, All Variants of Concern	4
Primary Series Vaccination, Omicron Subvariants	5
Booster Vaccination, All Variants of Concern	6
Booster Vaccination, Omicron Subvariants	7

Methods for Inclusion in Neutralization Plots

The studies included in the plots below were identified as part of an ongoing systematic review of studies evaluating the impact of SARS-CoV-2 variants of concern on COVID-19 vaccine performance. Studies from March 15, 2021 onward that report fold reductions in neutralization or that report data that enable the calculation of fold reductions in neutralization are included.

The following studies are not included:


- Studies evaluating partial vaccination
- Studies that collected vaccinee sera < 7 days or > 6 months post final vaccine dose
- Studies that used a variant of concern (e.g. Alpha, Delta) as the reference strain
- Studies of immunocompromised persons
- Studies including samples from persons with hybrid immunity
- Studies using surrogate neutralization assays
- Studies that combine vaccines (with the exception of mRNA vaccines for all VOCs other than Omicron)
- Studies that ND80 results instead of ND50

The WHO COVID-19 Weekly Epidemiological Update is posted weekly on the WHO website (<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>). A summary of results from these studies by vaccine and by variant of concern are provided in the WEU every other week.

For any questions, comments, or suggestions about this document, please contact Melissa Higdon: mhigdon@jhu.edu.


Primary Series Vaccination, All Variants of Concern

Fold Reduction in NABs by SARS-CoV-2 Variant of Concern and Vaccine Platform, Primary Series Vaccination




Primary Series Vaccination, Omicron Subvariants

Fold Reduction in NAb by Omicron Subvariant and Vaccine Platform, Primary Series Vaccination



Booster Vaccination, All Variants of Concern

Fold Reduction in NAb by SARS-CoV-2 Variant of Concern and Vaccine Platform, Booster Vaccination



Booster Vaccination, Omicron Subvariants

Fold Reduction in NAb by SARS-CoV-2 Variant of Concern and Vaccine Platform, Booster Vaccination

